



MASTER TL-D Food

MASTER TL-D Food 30W/79 1SL

The TL-D Food lamp makes the appearance of meat and bakery products more fresh and tasty. It can be applied for food illumination in butcher shops, bakeries, supermarkets etc.



asimpleswitch.com

PHILIPS

Product data

• General Characteristics

Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Bulb	T8 [26 mm]
Life to 50% failures EM	15000 hr
Life to 50% fail Preheat EL,3h	20000 hr
Life to 50% fail Nonpreh EL,3h	12000 hr

• Light Technical Characteristics

Color Code	79
Color Rendering Index	74 Ra8
Color Designation (text)	Food
Color Temperature	3800 K
Luminous Flux Lamp EM	1300 Lm
Luminous Efficacy Lamp EM	43 Lm/W
Lumen Maintenance 2000h	90 %
Lumen Maintenance 5000h	85 %
Chromaticity Coordinate X	365 -
Chromaticity Coordinate Y	314 -

• Electrical Characteristics

Lamp Wattage	30 W
Lamp Wattage EM	30.0 W
Lamp Voltage	98 V
Lamp Current EM	0.360 A

Dimmable Yes

• Environmental Characteristics

Energy Efficiency Label (EEL)	B
Mercury (Hg) Content	5.0 mg
Energy consumption kWh/1000h	37 kWh


• Product Dimensions

Base Face to Base Face A	894.6 (max) mm
Insertion Length B	899.3 (min), 901.7 (max) mm
Overall Length C	908.8 (max) mm
Diameter D	28 (max) mm

• Product Data

Order code	928025402043
Full product code	928025402043
Full product name	MASTER TL-D Food 30W/79 1SL
Order product name	MASTER TL-D Food 30W/79 1SL/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500706249
Bar code on outerbox - EAN3	8711500613103
Logistic code(s) - 12NC	928025402043
ILCOS code	FD-30/38/2A-E-G13
Net weight per piece	113.000 gr


Dimensional drawing



MASTER TL-D Food 30W/79 1SL



Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-D Food 30W/79	894.6	899.3	901.7	908.8	28

Dimensional drawing



G13

Photometric data



© 2015 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, February 23
data subject to change